C11/12 - Intro to IT Auditing For the Non-IT Auditor Steve Shofner



September 21, 2009 - September 23, 2009





September 21, 2009 - September 23, 2009

Presented by: Steve Shofner, CISA Stephen.R.Shofner@kp.org



Learning Objectives

- Part 1 (Session C11)
 - –Establish Baseline Understanding of Key Term's & Concepts
 - -Understand Automated Controls
 - Understand The Relationship Between Financial and IT Controls
 - -Compare IT Auditing to Non-IT Auditing
 - Dispelling Common Myths



Learning Objectives

- Part 2 (Session C12)
 - -How To Test Common IT General Controls (In A Simple Environment)
 - User Access
 - Change Management
 - Computer Operations
 - Physical Environment
 - Determining When To Call 'The Experts'





What Is An Audit?

- Processes contain <u>risks</u> that the objectives may not be met
- Audits are an evaluation of a process to ensure that certain <u>objectives</u> are met
- Audits focus on <u>controls</u> in the process, which address the risks





Definitions

- What Is A Risk?
 - The hazard or possibility of loss (financial or operational)
- What Is An Objective?
 - The purpose that one's efforts or actions are intended to attain or accomplish (to address risks)
- What Is A Control?
 - A proactive step taken by "management" to accomplish an objective
 - Management is any employee of the firm
 - The term management is used because they are usually responsible for implementing and maintaining effective controls



5 Copyright © Stephen R Shofner - 2008 - All Rights Reserved

Types Of Objectives

- Financial Objectives
 - Completeness
 - Accuracy
 - Validity
 - Authorization
 - Real
 - Rights & Obligations
 - Presentation & Disclosure

- IT & Operational Objectives
 - Security
 - Availability
 - Confidentiality
 - Integrity
 - Scalability
 - Reliability
 - Effectiveness
 - Efficiency

Compliance Audits Could Include Objectives From Both





Types of Controls


- Automated Controls
 - These are programmed financial controls
 - They are very strong
 - The programmed logic will function the same way $\underline{\mathsf{every}}$ time, as long as the logic is not changed
 - Test of one versus a statistical test of many
- Partially-Automated Controls
 - People-enabled controls
 - People rely on information from IT systems (also referred to as Electronic Evidence) for the control to function
- Manual Controls (no IT-Dependence)
 - People enable the control
 - Controls that are 100% independent of IT systems





Other Ways To Categorize Controls

- Prevent Controls
 - The locks on your car doors
- Detect Controls
 - Your car alarm
- Correct Controls
 - Your auto insurance
 - A LoJack system (a device that transmits a signal used by law enforcement to track down your stolen car)









Yet More Ways To Categorize Controls

- Environmental Controls
 - (a.k.a. "Governance")
- Financial Controls
- Operational Controls
- IT General Controls
 - User Administration
 - Change Management
 - IT Operations
 - Physical Environment







Examples of Controls

- Examples:
 - To ensure that only *authorized* payments are made, checks require a signature
 - User access requests must have a supervisor's signature authorizing the user's access

(note the different types of 'transactions')





Classifying Controls

- To ensure that only authorized payments are made, all checks issued require a signature.
- Accomplishes the *financial* objective, *authorized*.
- Someone manually signs the check
- An unsigned check *prevents* it from being cashed
- All user requests (on MAC forms) must have a supervisor's signature authorizing the user's access.
- Accomplishes the *IT General Control* objective, *authorized*.
- Someone manually signs the MAC form
- Unsigned MAC forms will not be processed, thereby preventing unauthorized access





Quiz #1

• Classify the controls in the handout







Mythbreaker Challenge:

- "IT Controls are too technical I don't understand what they do"
- Total Myth, Plausible, or Myth Busted?










Purchase To Pay Process



• Risks:


- Employee may order too much
- Employee may try to misappropriate goods:
 - Fictitious order to collect check
 - Purchase goods for personal use/gain
- Buyer may not use approved vendor (gaining the benefit of negotiated volume discounts)
- Duplicate or missing items may be received

- Invoice information may not be correct
- Duplicate or missing invoices may be received
- Incorrect payment amount
- Payment sent to wrong address
- Wrong payee on check
- Check may not be signed
- Check may not be cashed by payee



17 Copyright © Stephen R Shofner - 2008 - All Rights Reserved

Purchase To Pay Process




• Risks:


- Employee may order too much or not enough
- Employee may try to misappropriate goods


Controls:


- All Purchase Requests must be approved by a Manager or above
- Buyers will only open Purchase Orders upon receipt of an approved Purchase Request


ISACA Les Francisco Couples











Comparison

Objective	Manual Control	Automated Control
All Purchase Requests must be approved by a Manager or above	Manager signs purchase request form (hardcopy)	Manager clicks approval in application
Buyers will only open Purchase Orders upon receipt of an approved Purchase Request	Buyer compares signature to list of approvers	Application compares user to list of approvers
Goods can only be purchased from vendors who have been pre-approved	Buyer only purchases from list of approved vendors	PO system provides options in a drop-down menu, populated from a list of approved vendors.
Receiving Clerk counts all items received, ties them to shipping slip, and will only receive complete shipments	Receiving Clerk manually performs control	<none></none>

24 Copyright © Stephen R Shofner - 2008 - All Rights Reserved

ISACA

Comparison

Objective	Manual Control	Automated Control
AP Clerk prepares a voucher package, including: • Purchase Order • Shipping Slip • Invoice • Check (Payment) AP Clerk ties out all information across three documents to ensure completeness & accuracy	AP Clerk ties out all information across three sources	Application ties out all information across all three sources, and (see next control)
VP of Treasury reviews all voucher packages and approves/denies payment (signs checks of approved vouchers)	VP of Treasury signs checks	Application automatically prints checks for all matching information, using signature block

25

opyright © Stephen R Shofner - 2008 - All Rights Reserved



Mythbreaker Challenge:

"IT Controls are too technic "- I don't understand what hey do"

Automated centres don't do anything that people weren't already doing.

26



Automated Controls - We LOVE them!

- Automated Controls
 - -These are programmed financial controls
 - -They are very strong
 - The programmed logic will function the same way every time, as long as the logic is not changed
 - They are easier to test: a test of one versus a statistical test of many





Mythbreaker Challenge:

- "Automated Controls are too technical I don't understand all the technical stuff required to test them"
- Myth, Plausible, or Busted?






Automated Controls: Test Strategy

- 1. Determine the programmed logic
 - Usually a configuration setting
 - Sometimes setting is "unconfigurable" (programmed into the application, and cannot be changed without changing program code)
- 2. Follow one example of each *type* of transaction
 - This confirms that there isn't anything 'upstream' or 'downstream' that may affect the outcome

29 Copyright © Stephen R Shofner - 2008 - All Rights Reserved





Automated Controls: Test Strategy Example: 1. All Purchase Requests must be approved by a Manager or above 1. Get a screen-shot of the configuration setup screen showing this control is configured. 2. Observe one completed purchase request and validate that the approver was on the authorized approver list. 3. You're done!

Mythbreaker Challenge:

"Automated Controls are too toc Vircal – I don't understand all the technical crush required to test

You can test these controls, with a little help from your friends (IT Administrators)



opuright © Stocker B Shefoor 2009 All Dights Becomed



Checkpoint

- Covered so far:
 - Establish Baseline Understanding of Key Term's & Concepts
 - Understand Automated Controls
 - Understand The Relationship Between Financial and IT Controls
 - Compare IT Auditing to Non-IT Auditing
 - Dispelling Common Myths
- Coming up (next session)
 - How To Test Common IT General Controls (In A Simple Environment)

34



IT Auditing for Non-IT Auditors

Part 2 (Session C12)



Copyright © Stephen R Shofner - 2008 - All Rights Reserved



Learning Objectives

- Part 1 (Session C11)
 - –Establish Baseline Understanding of Key Term's & Concepts
 - -Understand Automated Controls
 - Understand The Relationship Between Financial and IT Controls
 - -Compare IT Auditing to Non-IT Auditing
 - Dispelling Common Myths





Learning Objectives

- Part 2 (Session C12)
 - -How To Test Common IT General Controls (In A Simple Environment)
 - User Access
 - Change Management
 - Computer Operations
 - Physical Environment
 - Determining When To Call 'The Experts'



pyright © Stephen R Shofner - 2008 - All Rights Reserved





Automated Controls - We LOVE them!


- Automated Controls
 - These are programmed financial controls
 - —They are *very* strong
 - -The programmed logic will function the same way every time, <u>as long as the logic is not changed</u>
 - They are easier to test: a test of one versus a statistical test of many


38











Mythbreaker Challenge:

- "IT General Controls is all technical stuff...completely out of my realm—I don't understand all the technical stuff required to test them"
- Myth, Plausible, or Busted?






IT Change Management

- Processes to manage changes to:
 - Program code
 - Configurations
- Objective:
 - Ensure that <u>automated controls aren't inappropriately altered</u>
 - Ensure that data integrity isn't inappropriately affected

Note: Fraud is *not* the primary concern; It's ensuring that good people aren't making honest mistakes.







Testing The Process

- Four Basic Steps (for most cases in a 'simple environment')
 - -Process Narrative
 - -Walkthrough
 - -Testing Documentation
 - -Reporting



ISACA

Process Narrative

- <u>Narratives</u> Documents Your Understanding Of The Process And Related Controls
 - Different that policy, procedure, & standard documents (although, those documents can be leveraged)
 - At a minimum, Narratives should include:
 - Background
 - Description of Controls
 - Information Necessary For Testing Controls (Who, What, Where, Why, When, How)
 - For testing purposes, that is all you want



vright © Stephen R Shofner - 2008 - All Rights Reserved



Walkthroughs & Testing Docs

- Walkthroughs A "Test of One"
 - Confirms Your Understanding Of Controls
 - Allows you to identify any problems in pulling populations or samples
- <u>Testing Documentation</u>
 - Four Basic Sections
 - Objective
 - Procedures
 - Results
 - Conclusion



anuright @ Stanhan B Shafaar 2009 All Bights Because



The Reperformance Standard

- When documenting your work, you should ensure that a reasonably-skilled auditor would be able to review your workpapers (and related evidence) and:
 - Understand what you did any why, and
 - See the same evidence that you saw
 - They should be able to 'reperform' your work and reach the same conclusion you did, based on the information presented in your workpapers and supporting evidence only.
- They should not need to:
 - Ask clarifying questions
 - Request and review information that is not included in the testing documentation



puriabt @ Ctanhan B Chafnar 2009 All Biabta Basan and



Reporting

- Reporting communicates the results of testing
- Typically has three sections:
 - Results: The facts, and just the facts
 - Implications / Business Risk: Why should the company care?
 - Recommendation: What should the company do about it?





Testing Typical Change Management Controls

- Get a system generated list of changes (a.k.a. a "population")
- Select a <u>sample</u> (usually 20-50 changes or 10-20%, whichever is smaller)
- Obtain and review change request forms for evidence of key controls

51 CONDIGUE

opvright © Stephen R Shofner - 2008 - All Rights Reserved



Evidence

- Four types:
 - -Inquiry
 - -Observation
 - -Examination
 - -Reperformance

52 ON ORGE




User Administration

- Processes to:
 - -Add user access
 - -Modify user access
 - -Remove user access
- Objective:
 - –Preventing (or timely detecting of) <u>unauthorized</u> <u>access</u>

process

These two are usually the same

ISACA



Testing Typical User Administration Controls

New Users / Modifications

- Get a system-generated list (population) of change requests
- Select a sample (usually 20-50 changes or 10-20%, whichever is smaller)
- Request change forms and review them for evidence of key controls

Removals

- Get a list (population) of terminated employees
- Select a sample (usually 20-50 changes or 10-20%, whichever is smaller)
- Observe system and determine if the user accounts are disabled or removed



opyright © Stephen R Shofner - 2008 - All Rights Reserved



Exercise #1

- Complete the testing document
- Conclude on the results

56 **(1)**



Leading Practice

- <u>User Access Reviews:</u> Regularly re-validating all users' access levels on all systems
- This helps prevent:
 - -Excessive levels of access
 - -Terminated users
 - -Potential process problems
- It's a good catch-all detect control






Copyright © Stephen R Shofner - 2008 - All Rights Reserved

Authentication

- <u>Authentication</u> How do we know that you are you? We use a combination of the following:
 - Something you know: Passwords
 - Something you have: ID cards, RSA tokens, etc.
 - Something you are: Fingerprints, Retinal Scans, etc.
- · Passwords are the most common form
- Desired password controls:
 - Construction (use of alpha, numbers, and special characters) Example: Esil4&3kc3!
 - Length (six is usually okay, eight is strongly recommended)
 - History




ISACA





Testing Password Controls

- Try to log onto the system
 - Failed login attempt (hopefully getting an error message)



- Successful login





Mythbreaker Challenge:

"IT General Controls is all technical so fi...completely out of my realm—I don't understand all the technical stuff required to test them"


These processes are <u>people-driven</u> and nonces mical. You *can* test them.





When To Bring In "The Experts"

- There are many layers of technology that users pass on the "access path" to financial applications and data.
- There are different risks at each level. These risks need to be evaluated at each level.
- Our scope, depth, and approach are different for each.



63 One of Stochas R Shofteer 2009, All Rights

When To Bring In "The Experts:" IT Operations

- Main Focus Is On <u>Availability</u> of Systems and Data:
 - -Job Scheduling
 - -Monitoring
 - -Problem/Incident Management
 - Business Continuity Planning (BCP) / Disaster Recovery Planning (DRP)
 - Including Backups & Recovery
 - –Antivirus / Anti-Spyware / etc.

64 Overhood Charles and Charles

ISACA

When To Bring In "The Experts:" Physical Environment

- Also Focused On **Availability** Of Systems:
 - –Access Controls (usually Card Keys)
 - -Air Conditioning
 - -Leak Detection
 - -Fire Suppression
 - Power Conditioning
 - –Uninterrupted Power Supplies (or "UPS," a Battery Backup)
 - Backup Generators



pyright © Stephen R Shofner - 2008 - All Rights Reserved



Resources

- Information System Audit & Control Association (ISACA):
 - www.isaca.org
 - www.isaca.org/COBIT
 - www.sfisaca.org
- IT Audit Forum Newsgroup:
 - http://groups.google.com/group/it-audit-forum
- Central Indiana Info Systems Audit & Control Newsgroup:
 - https://lists.purdue.edu/mailman/listinfo/cisaca-l
- Audit Programs and Other Useful Audit Resources:
 - www.auditnet.org
 - http://www.auditnet.org/karl.htm





